



INTERNATIONAL SALES OFFICE P.O.BOX 89 GLENVIEW, ILLINOIS 60025 U.S.A.

TEL: 847-635-7400 FAX: 847-635-0916 EMAIL: <u>ASDAMIANO@AOL.COM</u>



API Stretcher


The all-purpose inflatable stretcher is a revolutionary piece of equipment providing:


- Safe casualty handling
- All-round protection to exposure on land, sea or air
- A compact unit, easily stowed on vehicle, boat, helicopter or aircraft
- Can be back-packed or carried




Specification

- Twin Catamaran-Type faired chambers of tough, coated nylon air holding fabric with super-imposed highly abrasive-proof runners.
- Integral relief valve.
- Inflation and deflation ports.
- Inflatable Mattress.
- Zip-up survival cover and visor quilted with Thinsulate.
- Quick release body straps.
- Leg traction loops and leg securing loops.
- Adjustable head/neck restraint.
- Ten side and end lifting handles.
- Six lifting rings e.g. Helicopter.
- Four lifting rings e.g. hauling in-line.
- Repair Kit.
- Hand Bellows (approx 3 minutes to inflate)









API Stretcher

Optional

Regulated Cylinder Supply

Functions

As a conventional stretcher, with padded grip handling facilities for two, four or more personnel.

Lifts

By helicopter out of difficult trouble spots. Certified to lift up to $350\ kgs.$

Hauls

In the horizontal or vertical plane and can be rigged to a 'Breeches Buoy' ship-to-shore transit system.

Toboggan

Over ice, snow, marsh grass, sand, mudflats, scree and swamp. Extensive trials by Mountain Rescue Teams prove maximum mobility with minimum physical effort and limited use of manpower.

Floats

With excellent stability. Trials by Inshore Rescue personnel prove beyond doubt its great potential as a SAVER OF LIFE AT SEA. It can be used in Flood Situations, Oil Production Platforms, Ice Rescue, Cave and Pothole Rescue, Police Underwater Search Units, etc.

Technical Data			
Inflated Size	229 x 71 x 33 cm	90" x 28" x 13"	
Folded Size	80 x 58 x 22 cm	32" x 23" x 9"	
Weight in Valise	14 kgs	31 lb	
Carton Size	82 x 60 x 31 cm	33" x 24" x 10"	





Airtrack

'Airtrack 2003'

The Inflatable Rescue Walkway with a Difference

Catamaran style 'footprints' offer enhanced stability on water, clearance on ice, mudflats and unstable terrain



New and improved end profile





Optional

Isolation Valves (above) Kevlar Reinforced Footprints


Multipurpose Capability

Easy Portability
Rapid Inflation
Rapid Deployment & Mobility
Rapid Extension 'Link-Up'
Recovery - Total Stability
Use as Raft
Use as work Platform
Mud Flat Recovery
Ice Rescue




Technical Data		
Туре	5 (Inflated)	10 (Inflated)
Length (cm)	500	1000
Width (cm)	137	137
Height (cm)	20	20
Working Pressure (bar)	0.50	0.50
Relief Valve (bar)	0.5 ± 10%	0.5 ± 10%
Air Requirement (litres)	1600	3200
Packed Size (cm)	115 x 45 x 35	115 x 65 x 50
Weight (kilograms)	27	55

For detailed specifications and operational guidance, refer to technical manual.







WATERBOURNE RESCUE SLED

RESCUE SLED 2005





MULITPURPOSE CAPABILITY

STANDARD EQUIPMENT

2 Chamber & Bolster
Carrying Handles (5)
Boarding Handles (3)
Inflate/Deflate Valves
Relief Valves 0.2 bar
Lifelines (2)
Towing Eyes (3)
Extension Bolster (Detachable)
Rubstrake
Reflective Tapes
Paddles - 3 Piece

Technical Data	
Inflated to 0.2 bar	
Length (cm)	331
Length inc. Bolster (cm)	366
Width (cm)	117
Height (cm)	40
Working Pressure (bar)	0.2
Relief Valve (bar)	0.2
Air Requirement (litres)	670
Packed Size (cm)	88L x 35W x 30H
Weight (kilograms)	19.5



